

INTERNATIONAL SALES Bulletin

International Sales Bulletin #10

December 2008

TO: All International Distributors

SUBJECT: New 4-Post Model SM4T

Ladies and Gentlemen,

In continuing our commitment to provide you with the most variety in lifting systems of the industry and in answering your requests for a more competitively priced, high quality engineered, and lower capacity 4-post lift we are excited to announce the immediate availability of the new model SM4T.

This model has the capacity of 4152 kg (9,000 lbs.)

3861 mm Maximum Wheel Base

Attached please find the Sales Brochure for additional details

This lift is manufactured in our new Asian facility and is designed by our engineers based in our central offices located in Madison, Indiana, USA with the Rotary quality you have so become accustomed.

Additional accessories are available, such as:

AK4T – 4-wheel Alignment Add-On Kit


RJ4500M – 2041 kg (4500 lbs) capacity rolling jack, with standard manual pump

In order to support your ordering needs; this model will be available for shipping from either the Asian or USA offices. Orders for complete container loads, or for those of you in the eastern hemisphere, we will ship from the Asian facility, while orders of mixed product will ship from the USA.

Please contact your Regional Sales Managers to confirm your prices.

Please feel free to contact me for any questions or comments.

Thank you and kind regards,



Fernando Rubio

International Customer Service Consultant

frubio@rotarylift.com


Phone – 812 273 1722, ext. 306

Fax – 812 265 9531

cc: Ron Harmon – International Sales Manager

Office

Performance and Productivity



SM4T - 4082 kg (9,000 lbs) capacity

Rotary's **NEW** SM4T is ideal for quick lifting and service of a wide range of vehicles. With Rotary Lift's SM4T, the real value is the increase in productivity.

For decades, Rotary Lift® has been the recognized leader in vehicle service lifts. This legendary reputation has set the standard for quality, durability, reliability and attention to safety throughout the automotive service market.

ROTARY LIFT®
The World's Most Trusted Lift™




SM4T - 4 Ton - Four-Post Lift


www.rotarylif.com

Optional Accessories

- RJ4500MBK - 4,500 lbs. capacity rolling bridge w/ manual pump
- FC5969 Air Pump Kit - to change manual pump to air operated
- AK4T - Bolt-On Alignment Kit
- FA5153 - Radius Gauges




The AK4T is a bolt on alignment kit that offers an easy way to convert the SM4T four-post lift into a fully equipped flat top alignment rack.



Specifications

Model:	SM4T
Max. Wheelbase	4026 mm (158-1/2")
A. Rise	1962 mm (77-1/4")
B. Length Overall	5337 mm (210-1/8")
C. Width Overall	3276 mm (129")
D. Inside of Columns	2718 mm (107")
E. Between Front and Rear Columns	4191 mm (165")
F. Height of Columns	2221 mm (87-7/16")
G. Width of Runways	508 mm (20")
H. Height of Runways	127 mm (5")
I. Width Between Runways	1000 mm (39-3/8")
Lifting Capacity	4082 kg (9,000 lbs)
Motor	2 HP
Voltage Single Phase	208v-230v
Time of Full Rise	55 seconds



Rotary World HQ

2700 Lanier Drive
Madison, IN 47250, USA
www.rotarylif.com

North America Contact Information

Sales and p 812.273.1622
Tech. Support: f 812.265.9531

World Wide Contact Information

World HQ/USA: 1.812.273.1622
Canada: 1.905.812.9920
European HQ/Germany: +49.771.9233.0
United Kingdom: +44.178.747.7711

Australasia: +60.3.7660.0285
Southern Africa: 1.812.273.1622
Latin America/Caribbean: 1.812.273.1622
Middle East/Northern Africa: +49.771.9233.0



Lit# SM4T_2008.05
©2008 Rotary®, Printed in U.S.A., All Rights Reserved. Unless otherwise indicated, ROTARY, DOVER and all other trademarks are property of Dover Corporation and its affiliates.

ROTARY LIFT®
The World's Most Trusted Lift™

